

Add a user with default role and modify the role.

```
nutanix@CVM:~$ ncli user add user-name=viewer user-password=Br@@mspun1
email-id=petervanderweerd@gmail.com first-name=viewer last-name=viewer
Name                               : viewer
  First Name                       : viewer
  Middle Initial                   :
  Last Name                       : viewer
  Email Address                    : petervanderweerd@gmail.com
  Enabled                         : true
  Roles                           : ROLE_CLUSTER_VIEWER
```

Change the user's role

```
nutanix@CVM:~$ ncli user grant-user-admin-role user-name=viewer

Name                               : viewer
  First Name                       : viewer
  Middle Initial                   :
  Last Name                       : viewer
  Email Address                    : petervanderweerd@gmail.com
  Enabled                         : true
  Roles                           : ROLE_CLUSTER_ADMIN, ROLE_USER_ADMIN,
                                ROLE_CLUSTER_VIEWER
```

Revoke a role

```
nutanix@CVM:~$ ncli user revoke-user-admin-role user-name=peter
(snipped)
```

Disable the user

```
nutanix@CVM:~$ ncli user disable user-name=viewer
(snipped)
(the user will no longer be able to login)
```

Delete the user

```
nutanix@CVM:~$ ncli user delete user-name=viewer
User 'viewer' deleted successfully.
```

List all users

```
nutanix@CVM:~$ ncli user list
User 'viewer' deleted successfully.
```

Get help with the user command.

```
nutanix@CVM:~$ ncli user help  
(snipped)
```