

sgrid lab notes

module 2

Exercise 2 task 3.3.

"In the Active Directory Users and Computers window, select Users..."

"In the Active Directory Users and Computers window, select demo.netapp.com, select Users..."

module 3

exercise 1 task 3

Normally, you configure identity federation for a tenant.....we only have one AD domain. So you use different user groups to simulate identity sources

Exercise 1 task 4 item 12

API tenant creation

authorization bearer code..... renew "module 2 exercise 3 task 1

-H 'Authorization: Bearer' \

module 4

exercise 1 task 3 item 25

repeat 3-23 through 3-25 should be 3-22 through 3-25

exercise 2 task 3 item 4

store 1 objects by replicating 1 copy at DC1-fast

!!!add other type or location!!!

store 1 objects by.....DC2-slow

exercise 3 task 3 item 24

switch to tenant manager BEST and then select storage s3 buckets...

(otherwise there are no buckets...)

The tenant can then select the gold policy...

exercise 3 task 7 item 1

where does this s3 browser come from??? did we set this up before???

- add account
- Display name : Fred (eg)
- Account type : Amazon s3 compatible storage
- Rest endpoint: dc1-s1.demo.netapp.com:18082
- Access Key
- Secret Key

Module 5

exercise 1 task 2 item 6

repeat steps 2-4 and 2-5 should be 2-3 2-4 2-5